

Commissioning Policy

Carpal Tunnel Syndrome

Criteria Based Access (CBA)

Date adopted:

Version: 6

Authorisation and document control

Name of policy:	Carpal Tunnel Syndrome
Job title of author:	Senior Commissioning Programme Manager
Name of sign off group:	Commissioning Policy Review Group

Equality and Engagement Impact Assessment	
Date Equality and Engagement Impact Assessment was completed:	17 th May 2024

Consultation	
Name of group	Date considered
<i>Insert relevant individuals/forums consulted during policy development</i>	

Authorisation	
Name of group	Date approved
Commissioning Policy Review Group	June 2024
System Quality Committee	20 th August 2015

Date of adoption	12 October 2015
Date of publication	12 October 2015
Review date	June 2027
To be reviewed by (job title)	Senior Commissioning Programme Manager

Version control				
Version number	Date	Summary of changes	Author/Editor	Approved by
1	12.10.2015			ECCP
2	15.03.2018	Policy review date changed to March 2021		ECCP
3	10.06.2021	Minor word changes to reflect EBI policy, review date changed to June		ECCP

		2024. Minor changes ratified by MW & MA-E June 2021.		
4	23.05.2024	Moved to new ICB policy template. Review date agreed as June 2027	Senior Programme Manager	CPRG
5	May 2025	Policy moved to CBA+PA criteria.	IFR Manager	
6	19.01.2026	Policy moved to CBA	IFR Manager	Planned Care Delivery Board

1.0 Background

Many cases of carpal tunnel syndrome will resolve spontaneously and can be managed conservatively with physiotherapy, wrist splints, NSAIDS and steroid injections. The Gloucestershire ICB policy is consistent with the national Evidence Based Interventions (EBI) guidance, which sets out criteria that should be met before surgical treatment is considered.

2.0 Policy statement

Policy category	Policy details
CBA	<p>The ICB will fund surgical treatment of carpal tunnel if one of the following criteria is met:</p> <ul style="list-style-type: none"> a. The symptoms significantly interfere with daily activities and sleep symptoms and have not settled to a manageable level with either one local corticosteroid injection and/or nocturnal splinting for a minimum of 8 weeks. <p>Or</p> <ul style="list-style-type: none"> b. There is either (i) a permanent (ever-present) reduction in sensation in the median nerve distribution; or (ii) muscle wasting or weakness or thenar abduction (moving the thumb away from the hand).

3.0 Patients who are not eligible for treatment under this policy

Patients who are not eligible for treatment under this policy may be considered on an individual basis where their GP or consultant believes exceptional circumstances exist that warrant deviation from the rule of this policy.

Individual cases will be reviewed at the ICB's Individual Funding Request Panel upon receipt of a completed application form from the patient's GP, Consultant or Clinician. Applications cannot be considered from patients personally.

4.0 Connected policies

Trigger Finger Release

5.0 References

Academy of Medical Royal Colleges, Evidence Based Interventions Guidance for Carpal Tunnel Syndrome, [Carpal tunnel syndrome release - EBI \(aomrc.org.uk\)](http://Carpal%20tunnel%20syndrome%20release%20-%20EBI%20(aomrc.org.uk))

Verdugal R et al (20drome', 2008 08), 'Surgical versus Non Surgical treatment for Carpal Tunnel Syndrome', 2008, Cochrane Neuromuscular Disease Group Cochrane Library.

Marshall SC, Tardif G, Ashworth NL. 'Local corticosteroid injection for carpal tunnel syndrome'. *Cochrane Database of Systematic Reviews* 2007, Issue 2. Art. No.: CD001554. DOI: 10.1002/14651858.CD001554.pub2.

Similarity to other local ICB policies – Bristol, North Somerset and South Gloucestershire, Redditch and Bromsgrove, Worcestershire and South Worcestershire.